

## Clinical Policy: Infigratinib (Truseltiq)

Reference Number: ERX.SPA.445

Effective Date: 09.01.21

Last Review Date: 08.21

Line of Business: Commercial, Medicaid

[Revision Log](#)

See **Important Reminder** at the end of this policy for important regulatory and legal information.

### Description

Infigratinib (Truseltiq<sup>™</sup>) is a small molecule kinase inhibitor that inhibits fibroblast growth factor receptor (FGFR).

### FDA Approved Indication(s)

Truseltiq is indicated for the treatment of adults with previously treated, unresectable locally advanced or metastatic cholangiocarcinoma with a fibroblast growth factor receptor 2 (FGFR2) fusion or other rearrangement as detected by an FDA-approved test.

This indication is approved under accelerated approval based on overall response rate and duration of response. Continued approval for this indication may be contingent upon verification and description of clinical benefit in a confirmatory trial(s).

### Policy/Criteria

*Provider must submit documentation (such as office chart notes, lab results or other clinical information) supporting that member has met all approval criteria.*

*Health plan approved formularies should be reviewed for all coverage determinations. Requirements to use preferred alternative agents apply only when such requirements align with the health plan approved formulary.*

It is the policy of health plans affiliated with Envolve Pharmacy Solutions<sup>™</sup> that Truseltiq is **medically necessary** when the following criteria are met:

#### I. Initial Approval Criteria

##### A. Cholangiocarcinoma (must meet all):

1. Diagnosis of unresectable locally advanced or metastatic cholangiocarcinoma;
2. Prescribed by or in consultation with an oncologist;
3. Age  $\geq$  18 years;
4. Documentation of FGFR2 fusion or rearrangement;
5. Member has not previously received a selective FGFR inhibitor (e.g., Stivarga<sup>®</sup>, Pemazyre<sup>™</sup>);
6. Failure of at least one previous systemic cancer therapy (*see Appendix B*);
7. Request meets one of the following (a or b):\*
  - a. Dose does not exceed 125 mg (2 capsules) per day;
  - b. Dose is supported by practice guideline or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*\*Prescribed regimen must be FDA-approved or recommended by NCCN*

##### Approval duration:

**Commercial** – Length of Benefit

**Medicaid** – 6 months

##### B. Other diagnoses/indications

1. Refer to ERX.PA.01 if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

**II. Continued Therapy**

**A. Cholangiocarcinoma** (must meet all):

1. Currently receiving medication via a health plan affiliated with Envolve Pharmacy Solutions, or documentation supports that member is currently receiving Truseltiq for a covered indication and has received this medication for at least 30 days;
2. Member is responding positively to therapy;
3. If request is for a dose increase, request meets one of the following (a or b):\*
  - a. New dose does not exceed 125 mg (2 capsules) per day;
  - b. New dose is supported by practice guideline or peer-reviewed literature for the relevant off-label use (*prescriber must submit supporting evidence*).

*\*Prescribed regimen must be FDA-approved or recommended by NCCN*

**Approval duration:**

**Commercial** – Length of Benefit

**Medicaid** –12 months

**B. Other diagnoses/indications** (must meet 1 or 2):

1. Currently receiving medication via a health plan affiliated with Envolve Pharmacy Solutions and documentation supports positive response to therapy.

**Approval duration: Duration of request or 6 months (whichever is less);** or

2. Refer to ERX.PA.01 if diagnosis is NOT specifically listed under section III (Diagnoses/Indications for which coverage is NOT authorized).

**III. Diagnoses/Indications for which coverage is NOT authorized:**

- A.** Non-FDA approved indications, which are not addressed in this policy, unless there is sufficient documentation of efficacy and safety according to the off-label use policy – ERX.PA.01 or evidence of coverage documents.

**IV. Appendices/General Information**

*Appendix A: Abbreviation/Acronym Key*

FDA: Food and Drug Administration

FGFR: fibroblast growth factor receptor

*Appendix B: Therapeutic Alternatives*

*This table provides a listing of preferred alternative therapy recommended in the approval criteria.*

*The drugs listed here may not be a formulary agent and may require prior authorization.*

Drug Name	Dosing Regimen	Dose Limit/ Maximum Dose
gemcitabine (Gemzar®) + cisplatin	Gemcitabine 1000 mg/m <sup>2</sup> IV in combination with cisplatin 25 mg/m <sup>2</sup> IV, both on days 1 and 8 every 21 days for 8 cycles	Varies
5-fluorouracil + oxaliplatin	Varies	Varies
5-fluorouracil + cisplatin	Varies	Varies
capecitabine (Xeloda®) + cisplatin	Varies	Varies
capecitabine (Xeloda®) + oxaliplatin	Varies	Varies
gemcitabine + Abraxane®	Varies	Varies
gemcitabine (Gemzar®) + capecitabine (Xeloda®)	Varies	Varies
gemcitabine (Gemzar®) + oxaliplatin	Varies	Varies
5-fluorouracil	Varies	Varies
capecitabine (Xeloda®)	Varies	Varies
gemcitabine (Gemzar®)	Varies	Varies
FOLFOX (5-fluorouracil, leucovorin, oxaliplatin)		

Therapeutic alternatives are listed as Brand name® (generic) when the drug is available by brand name only and generic (Brand name®) when the drug is available by both brand and generic.

*Appendix C: Contraindications/Boxed Warnings*  
None reported

**V. Dosage and Administration**

Indication	Dosing Regimen	Maximum Dose
Cholangiocarcinoma	125 mg PO QD for 21 days followed by 7 days off therapy, in 28-day cycles	125 mg/day

**VI. Product Availability**

Capsules: 25 mg, 100 mg

**VII. References**

1. Truseltiq Prescribing Information. Brisbane, CA: QED Therapeutics, Inc.; May 2021. Available at: <https://www.truseltiq.com/pdfs/prescribing-information.pdf>. Accessed June 8, 2021.
2. National Comprehensive Cancer Network. Hepatobiliary Cancers v2.2021. Available at: [https://www.nccn.org/professionals/physician\\_gls/pdf/hepatobiliary.pdf](https://www.nccn.org/professionals/physician_gls/pdf/hepatobiliary.pdf). Accessed June 8, 2021.
3. Javle M, Lowery M, Shroff RT, et al. Phase II Study of BGJ398 in Patients With FGFR-Altered Advanced Cholangiocarcinoma. J Clin Oncol. 2018 Jan 20;36(3):276-282.

Reviews, Revisions, and Approvals	Date	P&T Approval Date
Policy created	06.08.21	08.21

**Important Reminder**

This clinical policy has been developed by appropriately experienced and licensed health care professionals based on a review and consideration of currently available generally accepted standards of medical practice; peer-reviewed medical literature; government agency/program approval status; evidence-based guidelines and positions of leading national health professional organizations; views of physicians practicing in relevant clinical areas affected by this clinical policy; and other available clinical information.

This Clinical Policy is not intended to dictate to providers how to practice medicine, nor does it constitute a contract or guarantee regarding payment or results. Providers are expected to exercise professional medical judgment in providing the most appropriate care, and are solely responsible for the medical advice and treatment of members.

This policy is the property of Envolve Pharmacy Solutions. Unauthorized copying, use, and distribution of this Policy or any information contained herein is strictly prohibited. By accessing this policy, you agree to be bound by the foregoing terms and conditions, in addition to the Site Use Agreement for Health Plans associated with Envolve Pharmacy Solutions.

©2021 Envolve Pharmacy Solutions. All rights reserved. All materials are exclusively owned by Envolve Pharmacy Solutions and are protected by United States copyright law and international copyright law. No part of this publication may be reproduced, copied, modified, distributed, displayed, stored in a retrieval system, transmitted in any form or by any means, or otherwise published without the prior written permission of Envolve Pharmacy Solutions. You may not alter or remove any trademark, copyright or other notice contained herein.